

SOIL ORGANIC CARBON, NITROGEN DYNAMICS AND GREENHOUSE GAS EMISSIONS

Sudha Yadav*, Shruti Setia, Sukeswara Achari Kamsali, Tejaswini Chandrakar, Sanjeev Kumar

Agronomy Section, ICAR- National Dairy Research Institute, Karnal, Haryana

*Corresponding author email: sudhamehtaa@gmail.com



ABSTRACT

Soil organic carbon (SOC) and nitrogen (N) are key components of soil fertility and play a central role in regulating greenhouse gas (GHG) emissions. Their interaction controls microbial activity, nutrient availability, and the release of gases such as carbon dioxide (CO₂), nitrous oxide (N₂O), and methane (CH₄). This article explains the relationship between SOC and nitrogen in simple yet scientific terms, highlighting how soil processes influence climate change. It also discusses practical management strategies that help improve soil health while reducing emissions, making agriculture more sustainable and climate-resilient.

KEYWORDS: C:N ratio, Climate-smart agriculture, Greenhouse gases, Nitrogen cycle, Soil organic carbon

INTRODUCTION

Soil is not just a medium for plant growth; it is a living system where carbon and nitrogen continuously interact. These two elements are essential for plant nutrition and also play a major role in environmental sustainability. Soil organic carbon (SOC) comes mainly from plant residues, roots, and microbial biomass, while nitrogen is a key nutrient required for plant growth.

The interaction between SOC and nitrogen determines how nutrients are released, how efficiently plants grow, and how much greenhouse gases are emitted from the soil. Poor management of these elements—such as excessive fertilizer use or intensive tillage—can lead to increased emissions of greenhouse gases, contributing to climate change. Therefore, understanding this relationship is important not only for farmers but also for environmental protection.

UNDERSTANDING SOIL ORGANIC CARBON

SOC represents the carbon stored in soil organic matter. It plays multiple roles in improving soil health:

- Enhances soil structure and aggregation
- Improves water holding capacity
- Supports beneficial microorganisms
- Acts as a reservoir of nutrients

When organic materials such as crop residues or manure are added to soil, microorganisms decompose them. During this process, some carbon is released as carbon dioxide (CO₂), while some is stored in the soil for longer periods.

If soils are disturbed frequently (e.g., through excessive tillage), decomposition increases, leading to higher CO₂ emissions. On the other hand, conservation practices help retain carbon in soil, reducing emissions and improving fertility.

NITROGEN DYNAMICS IN SOIL

Nitrogen exists in both organic and inorganic forms in soil. Plants mainly absorb nitrogen as nitrate (NO₃⁻) or ammonium (NH₄⁺). However, nitrogen is constantly transformed through microbial processes:

- **Mineralization:** Conversion of organic N into plant-available forms
- **Immobilization:** Temporary locking of nitrogen in microbial biomass
- **Nitrification:** Conversion of ammonium to nitrate
- **Denitrification:** Conversion of nitrate to gases like N₂O

These processes are strongly influenced by the availability of SOC, as microorganisms require carbon as an energy source to carry out these transformations.

CARBON–NITROGEN RELATIONSHIP (C: N RATIO)

The relationship between carbon and nitrogen is commonly expressed as the C:N ratio, which determines how quickly organic matter decomposes and how nutrients are released.

- **High C:N ratio (e.g., straw):**
 - ✓ Slow decomposition
 - ✓ Nitrogen is temporarily unavailable (immobilization)
- **Low C:N ratio (e.g., legumes, manure):**
 - ✓ Fast decomposition
 - ✓ Nitrogen is released quickly (mineralization)

An ideal soil C:N ratio (around 10–12:1) ensures balanced nutrient cycling, efficient microbial activity, and better plant growth.

LINK BETWEEN SOC, NITROGEN AND GREENHOUSE GASES

1. Carbon Dioxide (CO₂) Emissions

CO₂ is released during the decomposition of organic matter. When SOC levels are high and soils are frequently disturbed, microbial activity increases, leading to higher CO₂ emissions.

However, practices like reduced tillage and organic amendments help store carbon in soil, reducing CO₂ release.

2. Nitrous Oxide (N₂O) Emissions

Nitrous oxide is one of the most potent greenhouse gases. It is mainly produced during nitrification and denitrification processes.

- Excess nitrogen fertilizer → higher N₂O emissions
- Wet or poorly aerated soils → increased denitrification

SOC plays an indirect role by supplying energy to microbes that produce N₂O. Thus, both carbon and nitrogen together control N₂O emissions.

3. Methane (CH₄) Emissions and Soil Conditions

Methane (CH₄) is mainly produced in waterlogged soils such as rice fields, where oxygen is limited. Under such conditions, special microorganisms called methanogens break down organic matter and release methane.

Higher SOC levels provide more food for these microbes, increasing methane production. At the same time, certain nitrogen fertilizers can reduce methane consumption by soil microbes, allowing more methane to escape into the atmosphere.

Farmers can reduce methane emissions through simple practices such as:

- Alternate wetting and drying (AWD) in rice fields
- Avoiding excess fresh organic residues under flooded conditions
- Improving drainage to increase soil aeration

ROLE OF MICROORGANISMS

Microorganisms are the key link between SOC, nitrogen, and greenhouse gas emissions. They use carbon as an energy source and nitrogen for growth.

- If carbon is high but nitrogen is low → microbes compete with plants for nitrogen
- If nitrogen is high → faster decomposition and more emissions

Efficient microbial activity helps:

- Store more carbon in soil
- Reduce nitrogen losses
- Improve soil fertility

Table 1: Relationship Between Soil Processes and Greenhouse Gas Emissions

Soil Process	Role of SOC	Role of Nitrogen	Main Gas Emitted
Decomposition	Provides energy to microbes	Releases N during breakdown	CO ₂
Nitrification	Indirect support	Converts NH ₄ ⁺ to NO ₃ ⁻	N ₂ O
Denitrification	Provides carbon for microbes	Uses NO ₃ ⁻ in low oxygen	N ₂ O
Methanogenesis	Substrate for microbes	Influences oxidation	CH ₄

MANAGEMENT PRACTICES FOR REDUCING EMISSIONS

To maintain a balance between productivity and environmental sustainability, the following practices are recommended:

- **Conservation tillage:** Reduces CO₂ emissions and preserves SOC
- **Balanced fertilization:** Prevents excess nitrogen and lowers N₂O emissions
- **Organic amendments:** Improve SOC and nutrient retention
- **Crop rotation with legumes:** Enhances natural nitrogen supply
- **Water management (AWD):** Reduces methane emissions in rice systems

CONCLUSION

The relationship between soil organic carbon and nitrogen is fundamental to maintaining soil health and regulating climate, as their interaction governs microbial processes that influence nutrient availability and the emission of greenhouse gases. Effective management of these components can shift soils from being sources of greenhouse gases to functioning as carbon sinks. By implementing sustainable practices such as balanced fertilization, residue management, and conservation agriculture, farmers can enhance soil fertility while minimizing environmental impacts. Therefore, a clear understanding of this relationship is crucial for developing climate-smart agricultural systems that support food security and environmental sustainability.

SUGGESTED READINGS:

- Deb, S., Bhadoria, P. B. S., Mandal, B., Rakshit, A., and Singh, H. B. (2015). Soil organic carbon: Towards better soil health, productivity and climate change mitigation. *Climate change and environmental sustainability*, 3(1), 26-34.
- Cotrufo, M. F., Soong, J. L., Horton, A. J., Campbell, E. E., Haddix, M. L., Wall, D. H., and Parton, W. J. (2015). Formation of soil organic matter via biochemical and physical pathways of litter mass loss. *Nature Geoscience*, 8(10), 776-779.
- Robertson, G. P., and Groffman, P. M. (2024). Nitrogen transformations. In: *Soil microbiology, ecology and biochemistry* (pp. 407-438). Elsevier.
- Paustian, K., Lehmann, J., Ogle, S., Reay, D., Robertson, G. P., and Smith, P. (2016). Climate-smart soils. *Nature*, 532(7597), 49-57.

How to cite:

Yadav, S., Setia, S., Kamsali, S.A., Chandrakar, T., and Kumar, S. (2026). Soil organic carbon, nitrogen dynamics and greenhouse gas emissions. Leaves and Dew Publication, New Delhi 110059. *Agri Journal World* 5 (4): 44-48.

*****XXXXX*****